

KillTest

높은 품질, 더 나은 서비스



연습 문제

<https://www.killtest.kr>

1년간 무료 업데이트 제공

Exam : 000-773

**Title : IBM Tivoli Data Warehouse
V1.2 Implementation Exam**

Version : DEMO

1.Which two are correct ways to stop an IBM HTTP Server on Windows? (Choose two.)

- A.net stop all "IBM HTTP"
- B.db2stop "IBM HTTP Server", db2stop "IBM HTTP Administration"
- C.net stop "IBM HTTP Server", net stop "IBM HTTP Administration"
- D.net stop "IBM HTTP Administration", net stop "IBM HTTP Server"
- E.db2stop "IBM HTTP Administration", db2stop "IBM HTTP Server"

Correct:C D

2.A customer has IBM Tivoli Monitoring (ITM) generic ETL1 and IBM Tivoli Monitoring (ITM) for OS installed. Which data source is needed to feed data to the Central Data Warehouse (CDW)?

- A.flat files
- B.Cloudscape endpoint database
- C.Tivoli Enterprise Console database
- D.IBM Tivoli Monitoring (ITM) RIM Database

Correct:D

3.Which DB2 command is used to determine the location of a DB2 database server?

- A.db2 list db cfg
- B.db2 list db directory
- C.db2get db information
- D.db2 list node directory

Correct:D

4.Which document contains information pertaining to the configuration of an IBM HTTP Server and Crystal Enterprise for Tivoli Data Warehouse (TDW)?

- A.IBM HTTP Server Release Notes
- B.IBM HTTP Server Installation Document
- C.Tivoli Data Warehouse (TDW) V1.2 Release Notes
- D.Installing and Configuring Tivoli Data Warehouse (TDW) Document

Correct:D

5.Which DB2 file gives database server and instance status information?

- A.Db2diag.log
- B.execsql2.log
- C.Db2stats.log
- D.IWH.environment

Correct:A