

KillTest

높은 품질, 더 나은 서비스



연습 문제

<https://www.killtest.kr>

1년간 무료 업데이트 제공

Exam : 000-N24

**Title : IBM QRadar Technical
Sales Mastery Test v1**

Version : Demo

1. Write a regular expression that extracts only the username from the string: Username=smiths? Write a regular expression that extracts only the username from the string: Username=?smiths

- A. \?smith)\?\?smith)\
- B. Ame=?.*?)\?Ame=?.*?)\
- C. =\?.*?)
- D. ame\=?.*?)\?ame\=?.*?)\

Answer: D

2. Which method can be used to deliver log data to QRadar?

- A. Syslog
- B. Opsec/LEA
- C. TFTP
- D. Both A and B are correct

Answer: D

3. Write a regular expression that extracts only the username from the string: serID: smiths

- A. rID\:\s(.*)\s
- B. Use\:\s(.*)\s
- C. rID\:(\d+)\s
- D. serid\:(.*)\?serid\:(.*)\

Answer: A

4. What characteristic distinguishes QRadar from other SIM/SIEM solutions?

- A. QRadar is the only solution that works in a heterogeneous environment.
- B. QRadar has the best correlation engine.
- C. QRadar supports many more devices.
- D. QRadar is the only SIM/SIEM solution that natively processes flows.

Answer: D

5. How do you add a new (supported) DSM to the system?

- A. Download the rpm to the console and use the rpm command to add it.
- B. You cannot add new DSMs to the system.
- C. Configure autoupdate on the admin tab and manually add the DSM using the rpm command on the console.
- D. Both A and C are correct.

Answer: D