

# *KillTest*

품질은 좋고 서비스도 더욱 좋습니다



# 덤프

<http://www.killtest.kr>

우리는 고객에게 년 동안 무상업데이트 서비스를 제공합니다

**Exam** : **310-066**

**Title** : Upgrade EXAM for the Sun  
Certified for Java  
Programmer.SE6.0

**Version** : Demo

1. Given:

```
11. public class Test {
12.     public enum Dogs {collie, harrier, shepherd};
13.     public static void main(String [] args) {
14.         Dogs myDog = Dogs.shepherd;
15.         switch (myDog) {
16.             case collie:
17.                 System.out.print("collie ");
18.             case default:
19.                 System.out.print("retriever ");
20.             case harrier:
21.                 System.out.print("harrier ");
22.         }
23.     }
24. }
```

What is the result?

- A.harrier
- B.shepherd
- C.retriever
- D.Compilation fails.
- E.retriever harrier
- F.An exception is thrown at runtime.

**Answer:D**

2. Given:

```
10. interface Foo {}
11. class Alpha implements Foo {}
12. class Beta extends Alpha {}
13. class Delta extends Beta {
14.     public static void main( String[] args ) {
15.         Beta x = new Beta();
16.         // insert code here
17.     }
18. }
```

Which code, inserted at line 16, will cause a java.lang.ClassCastException?

A.Alpha a = x;

B.Foo f = (Delta)x;

C.Foo f = (Alpha)x;

D.Beta b = (Beta)(Alpha)x;

**Answer:B**

3. A UNIX user named Bob wants to replace his chess program with a new one, but he is not sure where the old one is installed. Bob is currently able to run a Java chess program starting from his home directory /home/bob using the command:

```
java -classpath /test:/home/bob/downloads/*.jar games.Chess
```

Bob's CLASSPATH is set (at login time) to:/usr/lib:/home/bob/classes:/opt/java/lib:/opt/java/lib/\*.jarWhat is a possible location for the Chess.class file?

A./test/Chess.class

B./home/bob/Chess.class

C./test/games/Chess.class

D./usr/lib/games/Chess.class

E./home/bob/games/Chess.class

F.inside jarfile /opt/java/lib/Games.jar (with a correct manifest)

G.inside jarfile /home/bob/downloads/Games.jar (with a correct manifest)

**Answer:C**

4.Given:

21. class Money {

22. private String country = "Canada";

23. public String getC() { return country; }

24. }

25. class Yen extends Money {

26. public String getC() { return super.country; }

27. }

28. public class Euro extends Money {

29. public String getC(int x) { return super.getC(); }

30. public static void main(String[] args) {

31. System.out.print(new Yen().getC()+ " " + new Euro().getC());

32. }

33. }

What is the result?

A.Canada

B.null Canada

C.Canada null

D.Canada Canada

E.Compilation fails due to an error on line 26.

F.Compilation fails due to an error on line 29.

**Answer:E**

5.Given:

3. import java.util.\*;

4. public class Hancock {

5. // insert code here

6. list.add("foo");

7. }

8. }

Which two code fragments, inserted independently at line 5, will compile without warnings? (Choose two.)

A.public void addStrings(List list) {B.public void addStrings(List list) {C.public void addStrings(List list)

{D.public void addStrings(List list) {

**Answer: BC**