

# *KillTest*

품질은 좋고 서비스도 더욱 좋습니다



# 덤프

<http://www.killtest.kr>

우리는 고객에게 년 동안 무상업데이트 서비스를 제공합니다

**Exam** : **312-50v10**

**Title** : Certified Ethical Hacker  
Exam (C|EH v10)

**Version** : DEMO

1.As an Ethical Hacker you are capturing traffic from your customer network with Wireshark and you need to find and verify just SMTP traffic.

What command in Wireshark will help you to find this kind of traffic?

- A. request smtp 25
- B. tcp.port eq 25
- C. smtp port
- D. tcp.contains port 25

**Answer: B**

2.An attacker has installed a RAT on a host. The attacker wants to ensure that when a user attempts to go to "www.MyPersonalBank.com", that the user is directed to a phishing site.

Which file does the attacker need to modify?

- A. Boot.ini
- B. Sudoers
- C. Networks
- D. Hosts

**Answer: D**

3.Which type of security features tops vehicles from crashing through the doors of a building?

- A. Turnstile
- B. Bollards
- C. Man trap
- D. Receptionist

**Answer: B**

4.Log monitoring tools performing behavioral analysis have alerted several suspicious login son a Linux server occuring during non-business hours. After further examination of all login activities, it is notices that none of the logins have occurred during typical work hours. A Linux administrator who is investigating this problem realized the system time on the Linux server is wrong by more than twelve hours.

What protocol used on Linux serves to synchronize the time has stopped working?

- A. NTP
- B. TimeKeeper
- C. OSPF
- D. PPP

**Answer: A**

5.An enterprise recent y moved to a new of ice and the new neighborhood is a littler is risky. The CEO wants to monitor the physical perimeter and the entrance doors 24 hours.

What is the best option to do this job?

- A. Use fences in the entrance doors.
- B. Install a CCTV with cameras pointing to the entrance doors and the street
- C. Use an IDS in the entrance doors and install some of them near the corners.
- D. Use lights in all the entrance doors and along the company's perimeter.

**Answer: B**

