

KillTest

품질은 좋고 서비스도 더욱 좋습니다



덤프

<http://www.killtest.kr>

우리는 고객에게 년 동안 무상업데이트 서비스를 제공합니다

Exam : **9L0-610**

Title : Xsan Administration v1.1
Exam

Version : DEMO

1.To view the WWPNS for an Apple Fibre Channel PCI-X card, use _____.

- A.Xsan Admin
- B.Fibre Channel Utility
- C.RAID Utility
- D.cvadmin

Correct:B

2.Which application allows you to monitor the status of disks within Xserve RAID LUNs?

- A.Activity Monitor
- B.Disk Utility
- C.RAID Admin
- D.Xsan Admin

Correct:C

3.Which statement is implied by the concept called "information lifecycle management"?

- A.All information should be backed up in a weekly cycle.
- B.Disk-to-disk backup should be used for archival information.
- C.Information should be regularly cycled between backup devices.
- D.Storage resources should be allocated according to importance of data.

Correct:D

4.Xsan is a _____ file system.

- A.local
- B.cluster
- C.network
- D.distributed

Correct:B

5.RAID Admin LUN mapping and masking features allow you to _____.

- A.create folders that map data to a specified LUN or LUNs
- B.create LUNs that are available to only one client
- C.create LUNs that consist of a single dedicated drive
- D.add more disks to a LUN without taking the array offline

Correct:B

6.Indicate the correct port settings when you configure an Emulex 355 switch for Xsan.

- A.Host machine ports set as "Initiator with Stealth" and storage device ports set as "Target with Stealth."
- B.Host machine ports set as "Target with Stealth" and storage device ports set as "Initiator with Stealth."
- C.Both host machine ports and storage device ports set as "Initiator with Stealth."
- D.Both host machine ports and storage device ports set as "Target with Stealth."

Correct:A

7.When naming an Xsan volume, which TWO statements are true? (Choose TWO.)

- A.Any low-ASCII character can be used.
- B.Only letters and numbers can be used.
- C.Only lowercase letters and numbers can be used.
- D.Only uppercase letters and numbers can be used.
- E.Volume names can be up to 16 characters in length.
- F.Volume names can be up to 70 characters in length.
- G.Volume names can be up to 256 characters in length.

Correct:B F

8.What is the recommended topology setting for the Apple Fibre Channel PCI-X card?

- A.Automatic
- B.Point-to-point
- C.Arbitrated loop
- D.Switched fabric

Correct:A

9.Fibre Channel Arbitrated Loop addresses use only the _____ field of Fabric Address Space.

- A.Area
- B.Domain
- C.Loop
- D.Port

Correct:D

10.Within a storage pool, Xsan stripes data over _____.

- A.LUNs
- B.volumes
- C.disks
- D.affinities

Correct:A