KillTest

품질은 좋고 서비스도 더욱 좋습니다

덤프

http://www.killtest.kr

우리는 고객에게 년 동안 무상업데이트 서비스를 제공합니다

Exam : **AACD**

Title : American Academy of Cosmetic Dentistry

Version : DEMO

1.Why do self etch bonding systems tend to have less post operative sensitivity?
A. Self etch bonding does not remove the smear layer but modifies it, leaving the smear plugs intact
B. Self etch products remove & replace the smear layer
C. Self etch bonding removes collagen fibrils and replaces them with resin plugs
D. Self etch systems etch and bond simultaneously
Answer: A

2.In restoring multiple anterior teeth with ceramic restorations, the desired incisal plane can BEST be communicated to the laboratory by:
A. Paralleling the incisal edges of the preparations.
B. Indicating the incisal plane on the diagnostic cast.
C. Including the patient's photograph with the lab prescription.
D. Paralleling the unprepared mandibular incisal plane.
Answer: B

3.There is a direct relationship between the f-stop and depth of field.
Which is correct?
A. Larger f-stop, larger depth of field
B. Larger f-stop, smaller depth of field
C. F-stop equals depth of field
D. F-stop decreases depth of field
Answer: A

4.What is the BEST property of condensible composites?
A. Lower filler content to allow lateral and vertical flow ensuring intimate contact
B. Less stickiness and stiffer consistency and have a wear ratio similar to amalgam
C. A filler loading of fibrous, porous, or irregular particles, and a filler percentage of 40% to 50% filled
D. Clinical evidence of strength and polymerization shrinkage superior to conventional composites
Answer: D

5.A patient would like to brighten her smile in addition to restoring her missing tooth #8. however, she is not interested in dental implants. She would also like to close the spaces between her existing teeth. Unfortunately, due to financial concerns she can only restore teeth ##7-10.
Reviewing the photograph above, how would you achieve golden proportion?
A. Fabricating a three-unit bridge and a single veneer on tooth #10 will easily achieve golden proportion
B. In office bleaching along with direct bonding on teeth ##7, 9, and 10, and a Maryland bridge to replace tooth #8 will easily achieve golden proportion
C. Direct resin bonding in conjunction with a removable partial denture will achieve golden proportion
D. It is impossible to achieve golden proportion unless more teeth are restored
Answer: A