

KillTest

품질은 좋고 서비스도 더욱 좋습니다



덤프

<http://www.killtest.kr>

우리는 고객에게 년 동안 무상업데이트 서비스를 제공합니다

Exam : Apache Hadoop Developer

**Title : Hadoop 2.0 Certification
exam for Pig and Hive
Developer**

Version : DEMO

- 1.Which one of the following statements describes a Pig bag, tuple, and map, respectively?
- A. Unordered collection of maps, ordered collection of tuples, ordered set of key/value pairs
 - B. Unordered collection of tuples, ordered set of fields, set of key value pairs
 - C. Ordered set of fields, ordered collection of tuples, ordered collection of maps
 - D. Ordered collection of maps, ordered collection of bags, and unordered set of key/value pairs

Answer: B

2.You want to run Hadoop jobs on your development workstation for testing before you submit them to your production cluster.

Which mode of operation in Hadoop allows you to most closely simulate a production cluster while using a single machine?

- A. Run all the nodes in your production cluster as virtual machines on your development workstation.
- B. Run the hadoop command with the `-jt local` and the `-fs file:///options`.
- C. Run the DataNode, TaskTracker, NameNode and JobTracker daemons on a single machine.
- D. Run simldoop, the Apache open-source software for simulating Hadoop clusters.

Answer: C

3.Which HDFS command uploads a local file X into an existing HDFS directory Y?

- A. `hadoop scp X Y`
- B. `hadoop fs -localPut X Y`
- C. `hadoop fs-put X Y`
- D. `hadoop fs -get X Y`

Answer: C

4.In Hadoop 2.0, which TWO of the following processes work together to provide automatic failover of the NameNode? Choose 2 answers

- A. ZKFailoverController
- B. ZooKeeper
- C. QuorumManager
- D. JournalNode

Answer: A,D

5.To use a Java user-defined function (UDF) with Pig what must you do?

- A. Define an alias to shorten the function name
- B. Pass arguments to the constructor of UDFs implementation class
- C. Register the JAR file containing the UDF
- D. Put the JAR file into the user's home folder in HDFS

Answer: C