

# ***KillTest***

높은 품질, 더 나은 서비스



## 연습 문제

<https://www.killtest.kr>

1년간 무료 업데이트 제공

**Exam : C2010-504**

**Title : Migration Engine from  
Butterfly Software V6.05  
Fundamentals**

**Version : DEMO**

1.How does IBM Tivoli Storage Manager retain the automatic client deployment packages?

- A. batch files stored in the database
- B. zip files stored in the server directory
- C. archive objects stored in a storage pool
- D. executable files stored in the Backup-Archive client directory

**Answer: C**

2.What does it mean when a node is in pending active state?

- A. The node is ready to be cutover.
- B. Inactive data has already been migrated.
- C. The migration for a node is preparing to run.
- D. The node is ready to be activated on the target.

**Answer: D**

3.The migration status page indicates that a batch is complete using which identifier?

- A. a green light
- B. a checked box
- C. a 100% symbol
- D. an exclamation point (!)

**Answer: C**

Reference:[ftp://ftp.software.ibm.com/software/au/downloads/Storage/Session\\_5\\_Migrating\\_to\\_TS M.pdf](ftp://ftp.software.ibm.com/software/au/downloads/Storage/Session_5_Migrating_to_TS_M.pdf)(page 48)

4.The Migration Planning Workshop Template Kit is used for what purpose?

- A. To maintain a daily log of events and track software/hardware outages.
- B. To maintain a chronological order of all actions taken during the migration.
- C. To produce roles and responsibilities, contacts of vendors, and executive orders.
- D. To produce planning workshop findings, migration plans, cutover schedules, and the Statement of Work.

**Answer: D**

5.

See the Exhibit below.

The screenshot shows the 'Target Group' configuration window in IBM Tivoli Storage Manager V6. The window has a title bar 'Target Group' and two buttons: 'Add Source Group' and 'Remove Source Group'. Below these buttons is a table with the following fields and values:

|                     |                       |                      |                                     |
|---------------------|-----------------------|----------------------|-------------------------------------|
| Target Group:       | ntfsGnt               | Default:             | Standard                            |
| Export From Source: | <input type="radio"/> | Storage Pool:        | POOL                                |
| Node suffix:        | NETBACKUP             | Propagate Retention: | <input checked="" type="checkbox"/> |

At the bottom of the window, there are two tabs: 'Source Environment' and 'Source Group'.

What is the purpose of the node suffix shown in the exhibit?

- A. It acts as a filter for nodes in the associated source group.
- B. It acts as a filter for filespace in the associated source group.
- C. It ensures node data format will be changed from the source type of NETBACKUP.
- D. It is appended to the node name when it is defined in the IBM Tivoli Storage Manager V6 target.

**Answer: A**