

# *KillTest*

품질은 좋고 서비스도 더욱 좋습니다



# 덤프

<http://www.killtest.kr>

우리는 고객에게 년 동안 무상업데이트 서비스를 제공합니다

**Exam** : **HP0-513**

**Title** : AlphaServer System  
Maintenance (formerIt  
#330-610)

**Version** : DEMO

1. Where can you check an AlphaServer's serial number for warranty status?

- A. SRL
- B. CSN
- C. QRL
- D. OMNI

**Answer: B**

2. Which type of PCI bus slot is available on an AlphaServer DS10L?

- A. 16-bit
- B. 32-bit
- C. 64-bit
- D. 128-bit

**Answer: C**

3. Which AlphaServer does NOT have an interlock switch?

- A. DS10
- B. DS20
- C. DS20E
- D. ES40

**Answer: A**

4. When installing a new Alpha system, which command would you use with the Loadable Firmware Utility (LFU) to verify option firmware revision level?

- A. check
- B. update
- C. show revision
- D. list

**Answer: D**

5. On an AlphaServer ES40, what information is obtained from the "show fru -e" command?

- A. FRU firmware version
- B. extended fru status
- C. FRU environmental variables
- D. FRU with errors

**Answer: D**

6. Alpha console firmware updates can be performed using all of the following, EXCEPT

- A. CD-ROM
- B. floppy disk
- C. the network
- D. replacing the chip

**Answer: D**

7. Which FRUs are defined as hot-pluggable on the AlphaServer DS20?

- A. individual fans
- B. hard drives
- C. PCI options
- D. power supplies

**Answer: B**

8. What is ONE of the configuration rules when installing DIMMs on an AlphaServer ES40?

- A. One DIMM in each memory motherboard.
- B. Fill odd memory sets first.
- C. Fill even memory sets first.
- D. Fill sets in numerical order.

**Answer: D**

9. When an AlphaServer DS20 has correctable memory errors, what action does the system take?

- A. crashes and re-boots
- B. halts to console

- C. resets
- D. continues running

**Answer: D**

10. Which file contains the Tru64 UNIX startup and error information?

- A. event.log
- B. messages
- C. sysfile
- D. errorlog.sys

**Answer: B**

11. Which component is hot-swappable on the ES40?

- A. fan
- B. CPU
- C. memory
- D. PCI option

**Answer: A**

12. What must be considered when installing an AlphaServer DS20?

- A. Do not install the system under a desk.
- B. Do not install the rear of the system against a wall.
- C. Install the system only in a computer room.
- D. The system must be installed in a rack.

**Answer: B**

13. AlphaServer firmware upgrades are performed for what purpose? Select TWO.

- A. Add new hardware support.
- B. Recognize new memory.
- C. Remove old options.
- D. Perform firmware bug fixes.

E. Rebuild kernel.

**Answer: AD**

14. Which command option overrides any setting of the boot\_osflags environment variable?

A. - flags

B. - osflags

C. - boot

D. - vars

**Answer: A**

15. Which background process must be running for Compaq Analyze to function?

A. desta\_exec

B. analyze\_exec

C. webes\_exec

D. ca\_exec

**Answer: A**

16. If you remove a PCI option card and do not replace it, what is the necessary action you must take?

A. Replace the PCI option cover.

B. No action necessary.

C. Install a filler PCI airflow card.

D. Terminate the PCI slot.

**Answer: A**

17. Which SRM console environment variable identifies the SCSI controller ID?

A. pk\*\_host\_id

B. SCSI\_ID

C. pk\*\_bus\_id

D. dk\*\_scsi\_id

**Answer: A**

18. Which URL invokes Compaq Analyze on the local node?

- A. http://localhost :7902
- B. http://localhost :80
- C. http://localhost :1705
- D. http://localhost :2981

**Answer: A**

19. Two additional CPUs have been added to ES40. After the addition of these CPUs, the system does not initialize properly. What could resolve this problem?

- A. More cache needs to be added.
- B. A second power supply is needed.
- C. A second cabinet fan needs to be added.
- D. Add a voltage regulator for each CPU.

**Answer: B**

20. Which SRM command is used to verify the proper functioning of the system components during system installation?

- A. test
- B. diag
- C. boot
- D. sysex

**Answer: A**