

# *KillTest*

품질은 좋고 서비스도 더욱 좋습니다



# 덤프

<http://www.killtest.kr>

우리는 고객에게 년 동안 무상업데이트 서비스를 제공합니다

**Exam** : **JN0-360**

**Title** : Service Provider Routing  
and Switching, Specialist  
(JNCIS-SP)

**Version** : Demo

## 1. Topic 1, Volume A

Which two statements are true about MPLS VPNs? (Choose two.)

- A. With Layer 3 VPNs, the provider's routers participate in the customer's Layer 3 routing.
- B. MPLS VPNs are designed to run over private networks rather than the public Internet.
- C. With Layer 2 VPNs, the provider does not participate in the routing of the customer's private IP traffic.
- D. MPLS VPN tunnels are always encrypted.

**Answer:** A,C

2.Which label operation is performed by an MPLS transit router?

- A. inject
- B. pop
- C. push
- D. swap

**Answer:** D

Explanation:

<http://www.juniper.net/techpubs/software/junos-security/junos-security96/junos-security-swconfig-interfaces-and-routing/mpls-ov.html>

3.Which Junos platform supports provider bridging?

- A. T Series devices
- B. SRX Series devices
- C. MX Series devices
- D. MAG Series devices

**Answer:** B

Explanation:

[http://www.juniper.net/techpubs/en\\_US/junos10.0/information-products/pathway-pages/mx-series/ethernet-switching-mx-series.html](http://www.juniper.net/techpubs/en_US/junos10.0/information-products/pathway-pages/mx-series/ethernet-switching-mx-series.html)

4.In which environment would you run BGP?

- A. a company spread across multiple floors of a building
- B. a company with a single office
- C. a home network
- D. the public Internet

**Answer:** D

5.For a network running single-area OSPF, how would you decrease the size of the link-state database (LSDB)?

- A. Implement RIP as an overlay protocol on all devices.
- B. Add more devices to the OSPF network to help with LSDB processing.
- C. Reduce the frequency of hello timers throughout the network.
- D. Implement OSPF areas.

**Answer:** D