

KillTest

품질은 좋고 서비스도 더욱 좋습니다



덤프

<http://www.killtest.kr>

우리는 고객에게 년 동안 무상업데이트 서비스를 제공합니다

Exam : **NS0-154**

Title : Data ONTAP 8.0 7-Mode
Administrator

Version : DEMO

1. Which three items are NFS resources for export? (Choose three.)

- A.aggregate
- B.directory/qtree
- C.file
- D.subnet
- E.volume

Answer: BCE

2. Data ONTAP 8.0 7-Mode supports SMB 2.0 in Windows Vista and Windows Server 2008.

- A.True
- B.False

Answer: B

3. In a tape environment after a SnapRestore reversion of a volume, incremental backup and restore operations on the file or volume cannot rely on the timestamps to determine what data needs to be backed up or restored. Which course of action ensures correct incremental backups?

- A.Perform a base-level backup of the volume after you restore it.
- B.Reboot the storage system to reset timestamps back to their original times before the reversion.
- C.Take a new snapshot of the volume to create new base-level timestamps for the incremental backup.
- D.Take a new snapshot of the volume to create new base-level timestamps for the incremental backup, and then perform a base-level backup of the volume after you restore it.

Answer: A

4. Which three /etc/snapmirror.conf entries will support synchronous or semi-synchronous SnapMirror? (Choose three.)

- A.FilerA:source_vol FilerB:destination_vol - sync
- B.FilerA:source_vol FilerB:destination_vol - 0-55/5 * * *
- C.FilerA:source_vol FilerB:destination_vol outstanding=3s sync
- D.FilerA:source_vol FilerB:destination_vol visibility_interval=1hr, outstanding=3ms, cksum=crc32 sync

Answer: ACD

5. Which changes the NDMP password on the Open System SnapVault agent?

- A.password
- B.password
- C.svpasswd
- D.svpassword

Answer: D

6. Which two commands can be used to enable LUN reservations? (Choose two.)

- A.lun create
- B.lun map
- C.lun reservation set
- D.lun set reservation

Answer: AD

7. Which three licenses are required for fabric-attached MetroCluster? (Choose three.)

- A.Cluster
- B.Cluster_remote
- C.Syncmirror_local
- D.Syncmirror_fabric
- E.Syncmirror_remote

Answer: ABC

8. An iSCSI or FC SAN implementation provides _____ access to LUNs.

- A.block
- B.file
- C.VIIP
- D.VLD

Answer: A

9. Which are three characteristics of an iSCSI or FCP SAN implementation? (Choose three.)

- A.A LUN can be converted into a VLD.
- B.LUNs can be accessed using the FCP protocol.
- C.LUNs can be accessed using the iSCSI protocol.
- D.Block services are associated with an iSCSI or FCP SAN environment.

Answer: BCD

10. Which three protocols can coexist on a NetApp storage system? (Choose three.)

- A.CIFS
- B.DAFS
- C.DFS
- D.FCP
- E.NFS

Answer: ADE

11. Which set of protocols provide block-level access to NetApp storage?

- A.CIFS and NFS
- B.HTTP and FTP
- C. iSCSI and FCP
- D.SNA and RPC

Answer: C

12. Host multi-pathing describes a _____ solution that has at least two distinct _____ paths to a LUN.

- A.FC or IP SAN, physical
- B.FC or IP SAN, virtual
- C.FC SAN, virtual
- D.token ring, physical

Answer: A

13. To determine the version of Data ONTAP in which a bug has been fixed, use the NOW site _____ utility. (Choose two.)

- A.AutoSupport
- B.Bugs Online
- C.NetApp Diagnostics
- D.Release Comparison
- E.System Configuration Guide

Answer: BD

14. Which two will allow you to read and analyze a packet trace file generated by the storage system? (Choose two.)

- A.Eternal View
- B.Netmon
- C.pktt
- D.WireShark

Answer: BD

15. What utility on the storage system will allow you to capture network packet information?

- A.netstats
- B.pktt
- C.snoop
- D.traceroute

Answer: B

16. Which two commands on the storage system allow you to gather detailed statistics about network interfaces, including basic information about network connections? (Choose two.)

- A.ifstat -a
- B.netdiag -n
- C.netstat -i
- D.sysstat 1

Answer: AC

17. To configure a storage system as a member of a Windows active directory domain, the time on the storage system must be set to be within plus or minus five minutes of the time on the domain controller.

- A.True
- B.False

Answer: A

18. For automatic user name mapping to occur for a CIFS and UNIX user name that are the same, you must do what?

- A.Enter the CIFS user in the NIS database.
- B.Enter the user names in the /etc/hosts.equiv file.

- C.Use both a NIS server and a Domain Controller in the network.
- D.Nothing: mapping will occur if user name authentication is available.

Answer: D

19. If the security style is set to UNIX, CIFS client file access is determined by _____ .

- A.NT ACLs
- B.the last client to set permissions
- C.the mapped UNIX UID/GID of the CIFS client and the UNIX file permissions
- D.This is not allowed: A CIFS client cannot access files in a path set to a security style of UNIX

Answer: C

20. NTFS allows file access based on _____ .

- A.NT ACLs and SID.
- B.NT ACLs and UNIX permissions.
- C.SID and password.
- D.UNIX permissions.

Answer: A